

# Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at <http://www.pubs.asce.org/cedbsrch.html>.

## Acids

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

## Agricultural wastes

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

## Air entrainment

- Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

## Air water interactions

- Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

## Algorithms

- Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).
- Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

## Alluvial valleys

- Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

## Aquifers

- Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).
- Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).
- Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

- Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentin R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

## Automation

- Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

## Boussinesq equations

- Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

- Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentin R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

## Canal design

- Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

## Canals

- Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuvanshi; 128(4), 244-8 (2002).

- Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

## Channels, waterways

- Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

## Colorado

- Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

## Combined sewers

- Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gismonni, and Willi H. Hager; 128(6), 397-400 (2002).

## Computation

- Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

## Contraction

- Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

## Cost control

- Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

## Costs

- Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

## Crop yield

- Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

## Culverts

- Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

- Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

## Decision support systems

- Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuvanshi, and W. W. Wallender; 128(1), 1-10 (2002).

## Delivery

- Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuvanshi; 128(4), 244-8 (2002).

## Design

- Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).
- Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).
- Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).
- Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

## Developing countries

- Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

## Diffusivity

- Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

## Discharge coefficients

- Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

## Discharge measurement

- Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

# Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at <http://www.pubs.asce.org/cedbsrch.html>.

## Acids

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

## Agricultural wastes

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

## Air entrainment

- Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

## Air water interactions

- Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

## Algorithms

- Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).
- Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

## Alluvial valleys

- Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

## Aquifers

- Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).
- Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).
- Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

- Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentin R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

## Automation

- Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

## Boussinesq equations

- Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

- Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentin R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

## Canal design

- Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

## Canals

- Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuvanshi; 128(4), 244-8 (2002).

- Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

## Channels, waterways

- Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

## Colorado

- Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

## Combined sewers

- Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gismonni, and Willi H. Hager; 128(6), 397-400 (2002).

## Computation

- Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

## Contraction

- Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

## Cost control

- Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

## Costs

- Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

## Crop yield

- Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

## Culverts

- Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

- Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

## Decision support systems

- Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuvanshi, and W. W. Wallender; 128(1), 1-10 (2002).

## Delivery

- Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuvanshi; 128(4), 244-8 (2002).

## Design

- Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).
- Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).
- Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).
- Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

## Developing countries

- Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

## Diffusivity

- Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

## Discharge coefficients

- Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

## Discharge measurement

- Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

#### **Diversion structures**

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

#### **Drag**

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

#### **Drain tiles**

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).

#### **Drainage**

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

#### **Drainage systems**

Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiazat; 128(1), 19-25 (2002).

#### **Drawdown**

Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

#### **Dynamic programming**

Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

#### **Economic factors**

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

#### **Energy**

Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).

#### **Energy dissipation**

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

#### **Environmental issues**

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
- A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

#### **Evaluation**

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

#### **Evaporation**

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

#### **Evapotranspiration**

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

#### **Experimentation**

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

#### **Farms**

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

#### **Feedback control**

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal I. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

#### **Flow rates**

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

#### **Free flow**

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

#### **Furrow irrigation**

Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

#### **Fuzzy sets**

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

#### **Gates**

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

#### **Gradually varied flow**

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

#### **Ground-water supply**

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

#### **Head loss**

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

#### **Heterogeneity**

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

#### **History**

Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

#### **Humidity**

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

#### **Hydraulic design**

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

#### **Hydraulic models**

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

#### **Hydraulic properties**

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).

#### **Hydraulic structures**

Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

#### **Hydraulics**

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisloni, and Willi H. Hager; 128(6), 397-400 (2002).



## Hydrologic models

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

## Hydrology

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

## India

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

## Installation

Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

## Integrated systems

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

## Irrigation

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiazat; 128(1), 19-25 (2002).

Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).

Hydraulic Analysis and Optimum Design of Multi-diameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

## Irrigation pipes

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

## Irrigation practices

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

## Irrigation scheduling

Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Aduias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

## Irrigation systems

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

## Kinetics

Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).

## Laterals

Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).

Hydraulic Analysis and Optimum Design of Multi-diameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

## Leakage

Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

## Linear programming

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

## Management

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

## Manholes

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

## Methodology

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

## Monitoring

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

## Neural networks

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

## Nonlinear systems

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

## Numerical models

2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).

Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

## One-dimensional flow

Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

## Optimization

Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

## Optimization design

Hydraulic Analysis and Optimum Design of Multi-diameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

## Optimization models

Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Aduias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

## Outflows

Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).

Hydraulic Analysis and Optimum Design of Multi-diameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

## Overland flow

Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

## Pakistan

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

## Penetration

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

## Performance

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

## Pipe bedding

Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

## Pipelines

Hydraulic Analysis and Optimum Design of Multi-diameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

## Polymers

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmilguy, and F. A. Naoum; 128(3), 147-52 (2002).

## Population

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

## Porous media

Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).

## Pressure reduction

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

## Remote sensing

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

## Reservoir operation

Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

## Resistance

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

## Risk

Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

## Rotation

Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).

## Salinity

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

## Salt water intrusion

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

## Scale, ratio

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

## Scheduling

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

## Sedimentation

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

## Seepage

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

## Shock waves

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

## Silts

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

## Simulation

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).

## Slopes

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

## Soils

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

## Sprinkler irrigation

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmilguy, and F. A. Naoum; 128(3), 147-52 (2002).

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

## Sprinklers

Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).

## Streams

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

## Submerged flow

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

## Subsurface flow

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

## Supercritical flow

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

## Surface irrigation

Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

## Trickle irrigation

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

## Turkey

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

## Uniform flow

Hydraulic Analysis and Optimum Design of Multi-diameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

## Unsteady flow

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

## Validation

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

## Variability

Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

## Water discharge

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

### **Water flow**

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).

2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

### **Water infiltration**

Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

### **Water management**

Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiazat; 128(1), 19-25 (2002).

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

### **Water pipelines**

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

### **Water pollution**

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

### **Water resources management**

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

### **Water reuse**

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

### **Water table**

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentin R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

### **Waterways**

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

### **Wave propagation**

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuvanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

### **Weirs**

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

## Author Index

**Angold, Russdon**

Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

**Araghi-Nejhad, Shahab**

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

**Asthana, B. N.**

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

**Atmapoojya, Sohan L.**

Discussion of "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes. — Sohan L. Atmapoojya and Ramesh N. Ingle; 128(3), 189-90 (2002).

**Babaeyan-Koopaei, K.**

Closure to "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes. — K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes; 128(3), 190-1 (2002).

**Bastiaanssen, Wim**

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

**Baume, Jean-Pierre**

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

**Belaud, Gilles**

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

**Bhagat, S. K.**

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

**Bonnell, R. B.**

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

**Bouwer, Herman**

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

**Broner, Israel**

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

**Broughton, R. S.**

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

**Brufau, P.**

Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

**Burkhalter, J. Philip**

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

**Burt, Charles M.**

Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

**Buyuktas, Dursun**

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).  
Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).

**Chahar, Bhagu R.**

Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

**Chang, Li**

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

**Chanson, H.**

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

**Chatterjee, C.**

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

**Chauhan, H. S.**

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

**Chaurasia, Shri Ram**

Discussion of "Stability and Mobility of Sand-Bed Channels Affected by Seepage" by Achanta Ramakrishna Rao and Nagaraj Sitaram. — Shri Ram Chaurasia; 128(2), 132-4 (2002).

**Clemmens, Albert J.**

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

**Cook, Freeman J.**

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).  
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

**DeBoer, Darrell W.**

Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).

**De Martino, Flavio**

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gismonni, and Willi H. Hager; 128(6), 397-400 (2002).

**De Troch, François P.**

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

**Dey, Subhasish**

Closure to "EDR in Circular Channels" by Subhasish Dey. — Subhasish Dey; 128(6), 404 (2002).

**dos Santos Teixeira, Adunias**

Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

**Droogers, Peter**

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

**Elmiligui, A. A.**

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

**English, Marshall J.**

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

**Ferro, Vito**

Discussion of "Simple Flume for Flow Measurement in Open Channel" by Zohrab Samani and Henry Magallanez. — Vito Ferro; 128(2), 129-31 (2002).

Discussion of "EDR in Circular Channels" by Subhasish Dey. — Vito Ferro; 128(6), 401-3 (2002).



**Fiuzat, A. A.**

Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).

**Gao, Qianzhao**

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

**García-Navarro, P.**

Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

**Gardner, Edward A.**

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

**Garg, N. K.**

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

**Gates, Timothy K.**

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

**George, Biju A.**

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

**Gisonni, Corrado**

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

**Grismer, M. E.**

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

**Grismer, Mark E.**

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

**Hager, Willi H.**

Discussion of "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Willi H. Hager; 128(4), 264 (2002).

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

Discussion of "EDR in Circular Channels" by Subhashish Dey. — Willi H. Hager; 128(6), 401 (2002).

**Haman, D. Z.**

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

**Hoffman, Glenn J.**

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

**Ingle, Ramesh N.**

Discussion of "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swales. — Sohan L. Atmapoojya and Ramesh N. Ingle; 128(3), 189-90 (2002).

**Irmak, S.**

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

**Jain, S. K.**

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

**Javan, M.**

Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).

**Jones, J. W.**

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

**Juana, Luis**

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

**Kar, S. K.**

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

**Karamouz, Mohammad**

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

**Kassab, S. Z.**

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmilguy, and F. A. Naoum; 128(3), 147-52 (2002).

**Kerachian, Reza**

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

**Keyes, C. G., Jr.**

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

**Khalil, M. F.**

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmilguy, and F. A. Naoum; 128(3), 147-52 (2002).

**Kumar, M.**

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

**Labadie, John W.**

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

**Lehmkuhl, Mike**

Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

**Lin, C. H.**

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

**Losada, Alberto**

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

**Luque-Escamilla, Pedro L.**

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallésquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

**Magallanez, Henry**

Closure to "Simple Flume for Flow Measurement in Open Channel" by Zohrab Samani and Henry Magallanez. — Zohrab Samani and Henry Magallanez; 128(2), 131-2 (2002).

**Mareshwari, Basant**

Review of *Research perspectives in hydraulics and water resources engineering* edited by R. Prasad and S. Vedula. — Basant Mareshwari; 128(6), 405 (2002).

**Mariño, Miguel A.**

Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

**Mateos, L.**

Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).



**Matyac, R.**

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

**Mishra, A.**

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuvanshi; 128(4), 244-8 (2002).

**Mishra, Govind C.**

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

**Mishra, Govinda C.**

Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagur R. Chahar; 128(4), 234-43 (2002).

**Motz, Louis H.**

Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

**Naoum, F. A.**

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

**Ojha, Chandra Shekhar P.**

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

**Orang, M.**

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

**Oyonarte, N. A.**

Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

**Palomo, M. J.**

Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

**Patel, R. M.**

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

**Pauwels, Valentijn R. N.**

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

**Petersohn, Uwe**

New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

**Playán, E.**

Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

**Prasher, S. O.**

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

**Pruitt, W. O.**

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuvanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

**Raghuvanshi, N. S.**

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuvanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuvanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuvanshi; 128(4), 244-8 (2002).

**Ramakrishna Rao, Achanta**

Closure to "Stability and Mobility of Sand-Bed Channels Affected by Seepage" by Achanta Ramakrishna Rao and Nagaraj Sitaram. — Achanta Ramakrishna Rao and Nagaraj Sitaram; 128(2), 134-5 (2002).

**Rassam, Daud W.**

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

**Reddy, B. R. S.**

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuvanshi, and W. W. Wallender; 128(1), 1-10 (2002).

**Rodríguez-Sinobas, Leonor**

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

**Saad, João C. C.**

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

**Samani, Zohrab**

Closure to "Simple Flume for Flow Measurement in Open Channel" by Zohrab Samani and Henry Magallanez. — Zohrab Samani and Henry Magallanez; 128(2), 131-2 (2002).

**Sanaee-Jahromi, S.**

Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiazat; 128(1), 19-25 (2002).

**Schmitz, Gerd H.**

New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

**Schütze, Niels**

New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

**Sen, D. J.**

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

**Singh, K. K.**

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

**Singh, R.**

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuvanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuvanshi; 128(4), 244-8 (2002).

**Singh, R. P.**

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

**Singh, Sushil K.**

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

**Sitaram, Nagaraj**

Closure to "Stability and Mobility of Sand-Bed Channels Affected by Seepage" by Achanta Ramakrishna Rao and Nagaraj Sitaram. — Achanta Ramakrishna Rao and Nagaraj Sitaram; 128(2), 134-5 (2002).

**Snyder, R.**

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

**Solomon, Kenneth H.**

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

**Standley, Laurel J.**

Review of *Improving irrigation governance and management in Nepal* edited by G. P. Shivakoti and E. Ostrom. — Laurel J. Standley; 128(4), 266 (2002).

**Styles, Stuart**

Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

**Su, Derong**

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

**Swales, D. C.**

Closure to "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swales. — K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swales; 128(3), 190-1 (2002).

**Swamee, Prabhata K.**

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).  
Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

**Tanji, K. K.**

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

**Tian, Yuan**

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

**Toombes, L.**

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

**Troch, Peter A.**

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

**Tsai, C. T.**

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

**Upadhyaya, A.**

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

**Valentine, E. M.**

Closure to "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swales. — K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swales; 128(3), 190-1 (2002).

**Valiantzas, John D.**

Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).

Hydraulic Analysis and Optimum Design of Multi-diameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

**Vallesquino, Pedro**

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

**Valliant, James C.**

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

**Verhoest, Niko E. C.**

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

**Wahlin, Brian T.**

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

**Wallender, W. W.**

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).  
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

**Wallender, Wesley W.**

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).  
Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).  
Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

**Watkins, Reynold K.**

Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

**Willardson, Lyman S.**

Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

**Yen, J. F.**

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

**Zahraie, Banafsheh**

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

**Zapata, N.**

Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

